| • | • | | | | ATTY DOCKET NO. RPP:135D US | | SERIAL NO. 08/644,28 9 |) | |
|--|--|--|--|-----------|-----------------------------|--------------|--|-----------------|----------|
| | INF | ORMATION DISCLOSUI | | | APPLICANT(S) Molly | | | | |
| | | (Use several sheets if necess | sary) | ug | FILING DATE: 5-10-96 | | GROUP: Unkn | OWII | |
| | | | | 200 | · | | 180 | | |
| | | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | PĂTENTI | DOCUMENTS | | | | |
| *EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | 131 | NAME | CLASS | SUBCLASS | FILING DA | |
| | | | - | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | <u> </u> | |
| | | | | | | . | - | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | FOREIC | ON PATEN | T DOCUMENTS | | - | | |
| - ·- ·- · | | DOCUMENT NUMBER | DATE | COUNTRY | | CLASS | SUBCLASS | TRANS | LATION |
| | , | | | | | | | YES | NO |
| 48 | | 92/13970 | 8/92 | WO | | | | | |
| YE | | EP-A-O-529 160 | 3/93 | EP | | | | | |
| | | | | | | | | | |
| <u> </u> | | OTHER DOCU | MENTS (Inc | luding Au | thor, Title, Date, Perti | nent Pages | , Etc.) | <u></u> | <u> </u> |
| Arai, N., et al., (1986) Immunologically Distinct p53 Molecules Generated by | | | | by | | | | | |
| | | | | | Biol. 6, 3232-3239 | | | | |
| 15 | | | | | nd Characterization | | | ytoplas | mic |
| 1 | 7S RNA from Mouse Cells. Nucleic Acids Res. 10, 4259-4277. | | | | | ATA :- | | | |
| 15 | Bargonetti, J., et al. (1992) Site-Specific Binding of Wild-Type p53 to Cellular DNA is Inhibited by SV40 T Antigen and Mutant p53. Genes & Dev. 6, 1886-1898. | | | | | NA IS | | | |
| Bargonetti, J., et al. (1992) Site-Specific Binding of Wild-Type p53 to Cellular DN Inhibited by SV40 T Antigen and Mutant p53. Genes & Dev. 6, 1886-1898. Bayle, J. et al., (1995) The Carboxyl-Terminal Domain of the p53 Protein Regulate Sequence-Specific DNA Binding Through its Nonspecific Nucleic Acid Binding Activity, Proc. Nat. Acad. Sciences of USA, Vol. 92, No. 12, pg. 5729-5733. | | | | | tes | | | | |
| 4 | | Sequence-Specific DNA Binding Through its Nonspecific Nucleic Acid Binding | | | | | | | |
| | | Activity, Proc. N | at. Acad. S | ciences o | of USA, Vol. 92, N | lo. 12, pg | g. 5729-573 | 3. | |
| Burns, P.A., et al. (1991) Loss of Heterozygosity and Mutational Gene in Skin Tumours of Interspecific Hybrid Mice. Oncogene 6 | | | | | ± | | | | |
| 70 | | Gene in Skin Tumours of Interspecific Hybrid Mice. Oncogene 6, 2363-2369. | | | | | | | |
| K | | Crook, T., et al. (1991) Modulation of Immortalizing Properties of Human Papillomavirus Type 16E7 by p53 Expression. J. Virol. 6, 505-510. | | | | | | | |
| 10 | | | | | s can Delay Liver | | | ich in f | Гисп |
| 4 | | | , | | pression. Carcinog | | | | ı WIII |
| EXAMINE | R | | y in an spept | Idase EX | D . MD 001111111111 | | | ··· | |
| +B11 / 1 / 1 | 4 | wome Effel | | | 3/. | 26/97 | | | |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include conv. of this form with next communication to applicant | | | | | | | | | |

Form PTO-A820

| L | ' | | | | | |
|-------------|---|--|-----------------------------|--|--|--|
| | · · · · · · · · · · · · · · · · · · · | ATTY DOCKET NO. | SERIAL NO. | | | |
| ' | ALIG | RPP:135D US | 08/644,289 | | | |
| | INFORMATION DISCLOSURE CITATION AUG (Use several sheets if necessary) | APPLICANT(S) Molly F. Kulesz | z-Martin | | | |
| | (Use several sheets if necessary) 1996 | FILING DATE | GROUP | | | |
| | | 5-10-96 | Unknown 1806 | | | |
| | OTHER DOCUMENTS (Midding A | uthor, Title, Date, Pertinent Pa | ages, Etc.) | | | |
| 4 | Eliyahu, D., et al. (1988) Meth A F Mutant p53 Species. Oncogene 3, 3 | - | ss Two Transforming | | | |
| 12 | Farmer, G., et al. (1992) Wild-Type p53 Activates Transcription in vitro. Nature 358, | | | | | |
| 1 | 83-86. | - P | | | | |
| 11 | Finlay, C.A., et al. (1989) The p53 Proto-Oncogene can Act as a Supressor of | | | | | |
| R | Transformation. Cell 57, 1083-109 | 93. | | | | |
| K K K | Fontoura, B.M.A.et al. (1992) p53 | is Covalently Linked to 5 | .8S rRNA. Mol. Cell. | | | |
| 90 | Biol. 12, 5145-5151. | | | | | |
| US | Foord, O.S., et al. (1991) A DNA F | • | ned in the C-Terminus of | | | |
| 10 | Wild Type p53 Protein. Nucleic A | | | | | |
| YE. | Foulkes, N.S., et al. (1992) More is | Better: Activators and R | epressors from the Same | | | |
| 12 | Gene. Cell 68, 411-414. | | | | | |
| | Gannon, J.V. et al. (1990) "Activat | . - | | | | |
| K | Conformational Effect. A Monocle | onal Antibody Specific to | r the Mutant Form," | | | |
| 1 | EMBO 9:1595-1602. | CTI + Cl1 D - + -! - C | 70 '41 -52 T1-4-1' | | | |
| 10 | | Hainaut, P., et al. (1992) Interaction of Heat-Shock Protein 70 with p53 Translated in vitro evidence for Interaction with Dimeric p53 and for a Role in the Regulation of p53 | | | | |
| 92 | Conformation. EMBO J. 11, 3513 | - | ie in the Regulation of p33 | | | |
| | Han, K., et al. (1990) Altered Leve | | mis like Seguence (VI 20) | | | |
| 1 | | • | * ' | | | |
| 1 | | RNA During Mouse Epidermal Cell Carcinogenesis. Mol. Carcinogenesis 3:75-82. Han, K., et al. (1992) Altered Expression of Wild-type p53 Tumor Supressor Gene | | | | |
| 4 | During Murine Epithelial Cell Trar | 7.2 | _ | | | |
| 11/ | Han, K., et al. (1992) Alternatively | | | | | |
| W/K | of Different Tissue Types. Nucleic | | | | | |
| | Hupp, T.R., et al. (1992) Regulatio | | | | | |
| 候 銀 銀 | Cell 71, 875-886. | F - 3 | 5 | | | |
| 11 | Jenkins, J.R., et al. (1984) Cellular | Immortalization by a cDl | NA Clone Encoding the | | | |
| 192 | Transformation-Associated Phosph | | | | | |
| 10 | Kastan, M.B., et al. (1991) Participation of p53 Protein in the Cellular Response to | | | | | |
| gre- | DNA Damage. Cancer Research 5 | - | | | | |
| 11 | Kastan, M.B. et al. (1992) A Mammalian Cell Cycle Checkpoint Pathway Utilizing p53 | | | | | |
| 12 | and GADD45 is Defective in Ataxi | | | | | |
| | Kulesz-Martin, M. et al. (1985) Mo | - | - | | | |
| 12 | Carcinogen-Induced Altered Differ | | 6, 1245-1254. | | | |
| EXAMIN | NER LITERALD E. AN | DATE CONSIDERED | 6/97 | | | |
| | NER: Initial if reference considered whether or not citation is in conformar | | | | | |
| Form PTO | d. Include copy of this form with next communication to applicant. | atent and Trademark Office * U.S. DEPARTMENT | OF COMMEDCE | | | |

Form PTO-A820 (also form PTO-1449)

| , : | | ATTY DOCKET NO. | SERIAL NO. | | |
|---|--|-------------------------------------|-------------------------|--|--|
| • | A Charles and the control of the con | RPP:135D US | 08/644,289 | | |
| INFORM | AATION DISCLOSURE CITATIONS (Use several sheets if necessary) | APPLICANT(S) Molly F. Kulesz-Martin | | | |
| | 1996 | FILING DATE 5-10-96 | GROUP Unknown 1806 | | |
| | OTHER DOCUMENTS (Including Au | thor, Title, Date, Pertinent Page | es, Etc.) | | |
| 111 | Kulesz-Martin, M. et al. (1986) Ret | inoic Acid Enhancement of | f an Early Step in the | | |
| H | Transformation of Mouse Epidermal Cells in vitro. Carcinogenesis 7, 1425-1429 | | | | |
| 1 | Kulesz-Martin, M. et al. (1989) Pemphigoid, Pemphigus and Desmoplakin as Antige | | | | |
| H | Markers of Differentiation in Norma | al and Tumorigenic Mouse | Keratinocyte Lines. | | |
| | Cell Tissue Kinet. 22, 279-290. | | | | |
| 111 | Kulesz-Martin, M. et al. (1991) Tun | • | - | | |
| W. | Treatment in vitro with 12-O-Tetrad | lecanoylphorbol-13-Acetat | e or Retinoic Acid. | | |
| | Cancer Research 51, 4701-4706. | | 11.6 | | |
| 4 | Kulesz-Martin, M. et al. (1983) Proj | • | _ | | |
| | Cells Resistant to Calcium-Induced | | | | |
| 4 | Kulesz-Martin, M. et al., (1994) End | _ | • | | |
| 10 | Alternative Splicing, J. Cellular Bio | | | | |
| K | Lane, D.P. (1992) p53, Guardian of | the Genome. Nature 358, | 15-16. | | |
| 11/6 | Milne, D.M., et al. (1992) Mutation | | | | |
| K | Abolishes the Anti-Proliferative Act | ivity of p53. Nucleic Acid | ls Res. 20, 5565-5570. | | |
| 4 | Milner, J. (1991) The Role of p53 in the Normal Control of Cell Proliferation. Current Opinion in Cell Biology 3, 282-286. | | | | |
| UF. | Milner, J. (1984) Different Forms of p53 Detected by Monoclonal Antibodies in Non- | | | | |
| | Dividing and Dividing Lymphocytes | | | | |
| 16 | Milner, J. et al. (1991) Cotranslation | | | | |
| | the Wild-Type p53 Protein into the | | | | |
| K | Momand, J., et al. (1992) The mdm-2 Oncogene Product forms a Complex with the p53 Protein and Inhibits p53-Mediated Transactivation. Cell 69, 1237-1245. | | | | |
| , , | Nigra IM at al. (1992) Hyman 52 and CDC2Ha Comes Combine to Inhibit the | | | | |
| 星 | Proliferation of Saccharomyces Cerevisiae. Mol. and Cell Biol. 12, 1357-1365. | | | | |
| | | | | | |
| | | | _ | | |
| 14 | Prives, C., et al. (1993) The p53 Tumor Suppressor Protein: Meeting Review. Genes & | | | | |
| 2 | Dev. 7:529-534. | | | | |
| Oren, M. et al. (1983) Molecular Cloning of a cDNA Specific for the Murine p53 Cellular Tumor Antigen. Proc. Natl. Acad. Sci. USA, 80, 56-59. Prives, C., et al. (1993) The p53 Tumor Suppressor Protein: Meeting Review. General Dev. 7:529-534. Ro, Y.S., et al. (1993) p53 Protein Expression in Benign and Malignant Skin Tumber. J. Dermatol. 12, 237-241. | | | Ialignant Skin Tumours. | | |
| | | | 3 | | |
| IV | Ruggeri, B., et al. (1991) Alterations of the p53 Tumor Suppressor Gene During Mouse | | | | |
| 42 | Skin Tumor Progression. Cancer Research 51, 6615-6621. | | | | |
| EXAMINER | 0/. | DATE CONSIDERED 3/26 | /cz | | |
| 4 | onne liflet) | | | | |
| *EXAMINER! Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | |
| Form PTO-A820 Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE | | | | | |

| , . | MAIL ROOM | ATTY DOCKET NO. RPP:135D US | SERIAL NO. 08/644,289 | | |
|---|--|---------------------------------------|---------------------------|--|--|
| INFORM | AATION DISCLOSURE CITATION | APPLICANT(S) Molly F. Kulesz-M | | | |
| 211 014 | (Use several sheets if necessary) 26 25 | | | | |
| | 1996 | FILING DATE 5-10-96 | GROUP LUnknown \806 | | |
| | OTHER DOCUMENTS (Including Au | thor, Title, Date, Pertinent Pag | es, Etc.) | | |
| | Schneider, B.L., et al. (1993) 7,12-D | | | | |
| 4/4 | Keratinocyte Transformation Withou | ut Harvey ras Protooncoge | ne Mutations. J. Invest. | | |
| | Dermatology, 101:595-599, 1993. Seto, E., et al. (1992) Wild-Type p53 Binds to the TATA-Binding Protein and | | | | |
| K K | Represses Transcription. Proc. Natl. Acad. Sci. 89, 12028-12032. | | | | |
| 114 | Soussi, T., et al. (1990) Structural Aspects of the p53 Protein in Relation to Gene | | | | |
| <i>K</i> | Evolution. Oncogene 5, 945-952. | | | | |
| 炬 | Stenger, J.E., et al. (1992) Formation of Stable p53 Homotetramers and Multiples of Tetramers. Mol. Carcinogen. 5, 102-106. | | | | |
| lk | Stephen, C.W., et al. (1992) Mutant Conformation of p53. Precise Epitope Mapping Using a Filamentous Phage Epitope Library. J. Mol. Biol. 225,577-583. | | | | |
| 110 | Sturzbecher, H.S., et al. (1992) A C- | | | | |
| 40 | Major Structural Determinant of p53 Tetramerization. Oncogene 7, 1513-1523 | | | | |
| 4/2 | Vogelstein, B. (1990) A Deadly Inheritance. Nature 348, 681-682. | | | | |
| K ! | Vogelstein, B., et al. (1992) p53 Function and Dysfunction. Cell 70, 523-526. | | | | |
| W | Wade-Evans, A., et al. (1985) Precise Epitope Mapping of the Murine Transformation- | | | | |
| 10 | Associated Protein, p53. EMBO J. 4,699-706. Weintraub, H., et al. (1991) The MCK Enhancer Contains a p53 Responsive Element. | | | | |
| UE | Proc. Natl. Acad. Sci. 88, 4570-457 | | 55 Responsive Element. | | |
| 11 | Wolf, D., et al. (1985) Isolation of a | | A Clone Coding for an | | |
| ge | Immunologically Distinct p53 Molecular | | | | |
| 115 | Wolf, D., et al. (1984) Reconstitutio | | | | |
| 90 | Transformed Cell Line by Transfect | | | | |
| | Wu, Y. et al., (1994) Physiological Protein Variant of the Mouse p53 Tumor Suppressor Gene, Proc. of the American Assoc. for Cancer Research, Annual Mtg., | | | | |
| Suppressor Gene, Proc. of the American Assoc. for Cancer Research, Annual N Vol. 35, pg 605. | | | | | |
| VOI. 35, pg 005. | | | | | |
| 15 | Interaction with the Major p53 Protein in vitro and in Cells, The EMBO Journal, Vol. | | | | |
| 卷 | 13, No. 20, pg. 4823-4830. | · · · · · · · · · · · · · · · · · · · | , | | |
| 10 | Yonish-Rouach, E., et al. (1993) p5: | 3-Mediated Cell Death: R | elationship to Cell Cycle | | |
| | Control. Mol. and Cell. Biol. 13, 1415-1423. | | | | |
| Æ Æ | Yonish-Rouach, E., et al. (1991) Wi | ild-Type p53 Induces Apop | ptosis of Myeloid | | |
| | Leukaemic Cells that is Inhibited by | | | | |
| ME ! | Zambetti, G.P., et al. (1992) Wild-T | · | _ | | |
| Y L | Expression Through a Specific DNA | | es & Dev. 6, 1143-1159 | | |
| EXAMINER LOWW (LLC) DATE CONSIDERED 3/26/97 | | | | | |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | |